


Onsite Tiered Permitting - Flowchart

(For non-RCRA or exempt hazardous waste facilities conducting onsite treatment.)



CESQT - Conditionally Exempt Small Quantity Treatment
(Health and Safety Code (HSC § 25201.5(a)))

CESW - Conditionally Exempt Specified Wastestream (HSC § 25201.5(c))


CEL - Conditionally Exempt-Limited (HSC § 25201.14)

CECL - Conditionally Exempt Commercial Laundries (HSC § 25144.6(c))


CA - Conditional Authorization (HSC § 25200.3)

PBR - Permit by Rule (Title 22, CCR, Div. 4.5, Chapter 45)

*Must be hazardous solely due to this characteristic




**Closed except adding/removing (T22, § 66265.173)




*Must be hazardous solely due to this characteristic

**Closed except adding/removing (T22, § 66265.173)




*Must be hazardous solely due to this characteristic

**Closed except adding/removing (T22, § 66265.173)




*Must be hazardous solely due to this characteristic

**Closed except adding/removing (T22, § 66265.173)




*Must be hazardous solely due to this characteristic




*Must be hazardous solely due to this characteristic

**Closed except adding/removing (T22, § 66265.173)




*Must be hazardous solely due to this characteristic

**Closed except adding/removing (T22, § 66265.173)






**Closed except adding/removing (T22, § 66265.173)






*Must be hazardous solely due to this characteristic


**Closed except adding/removing (T22, § 66265.173)





*Must be hazardous solely due to this characteristic









**Closed except adding/removing (T22, § 66265.173)



*Must be hazardous solely due to this characteristic

**Closed except adding/removing (T22, § 66265.173)





16a

Laboratory Waste
HSC § 25200.3.1

CESW


**NO authorization
required if treatment
complies with
HSC § 25200.3.1
AB 966 (Stats. 1998, Ch.
506)**

16b


**Quality Control or
Quality Assurance
Laboratory**
(HSC § 25201.5(c)(8))

CESW

**NO authorization
required if treatment
complies with
HSC § 25200.3.1
AB 966 (Stats. 1998, Ch.
506)**



*Must be hazardous solely due to this characteristic




**Closed except adding/removing (T22, § 66265.173)

Transportable Treatment Units

WASTE STREAM & TREATMENT PROCESSES

AUTHORIZATION OPTIONS

NOTIFICATION FORMS



Note - SUBMIT TTU NOTIFICATIONS TO DTSC, NOT TO THE CUPA.

PBR Collection Facilities

